



# — PRODUCT DATA SHEET

## SL-Pro25



# SL-Pro25

## PRODUCT DESCRIPTION

Compact, lightweight and unbelievably affordable: the Ledlenser Pro25. Measuring barely 81 millimetres and featuring a useful one-handed twist-switch, this compact key-chain torch is ready to use right from the word go. The robust aluminium housing and powerful LED also make it an unbeatable companion in the dark. And all that at an equally unbeatable price.

- Handy saving package: the low-price Solidline light weighs just 33 g
- A useful keyring makes it easy to attach it directly to a key chain
- Easy and intuitive operation thanks to one-handed twist-switch
- The robust aluminium housing protects against scratches and splashing water
- Ledlenser's well-known LED quality provides a beam distance of up to 60 metres<sup>1</sup>

### TECHNICAL DATA

Length [mm]	81
Head diameter [mm]	19
Tube diameter [mm]	15
Weight incl. batteries [g]	33
Weight without batteries [g]	22
Focus function	No
Head material	Aluminum alloy
Tube material	Aluminum alloy
Optic	Plastic lense (PMMA)
Cartridge	No

### POWER SUPPLY

Power source type	Battery
Battery quantity	1
Battery type	Alkaline
Battery description	Micro (AAA) 1.5V
Rechargeable	No
Energy modes	Energy Saving
Usable batteries	AAA NiMH 1.2V

### FURTHER SPECIFICATIONS

IP class	IP54
Drop test (drop height) [m]	1
Working temperature range [°C]	-20 to +40

### LIGHT FUNCTIONS

Power

### LIGHT SOURCE

Amount LEDs	1
LED type	Power LED
Color	White
Color temperature [K]	5500 to 9000
Color rendering index (CRI)	80

### LEDLENSER VALUES

Energy Saving	Boost	Power	Mid Power	Low Power
Light output <sup>1</sup> [lm]		25		
Beam distance <sup>1</sup> [m]		60		
Run time <sup>1</sup> [h]		8		

### SWITCH

Rotary Switch

# SL-Pro25

## PACKAGING AND LOGISTICS



### PACKAGING INFORMATION

Type of packaging	Blister
Scope of delivery	1 set of batteries, Keyring
Item No.	501065
Customs tariff number	85131000
Color	silver
MSRP price (€)	6.99

### SINGLE PACKAGE

Dimensions W x H x D [cm]	11.2 x 18 x 2.5
Gross weight [g]	83
GTIN-13	4058205008860

### INNER CARTON

Unit	6
Dimensions W x D x H [cm]	21.2 x 18.7 x 12.5
Gross weight [g]	665
GTIN-13	4058205008877

### EXPORT CARTON

Unit	24
Dimensions W x D x H [cm]	39.5 x 23 x 28
Gross weight [kg]	3.3
GTIN-13	4058205008884

# SL-Pro25

## ACCESORIES

PRODUCT CATEGORY	ITEM NUMBER	PRODUCT NAME	MSRP
Battery	500981	4x AAA Alkaline Ionic	3.49 €

# SL-Pro25

## PRODUCT SERIES

### The Lellenser Solidline-Series

#### High quality, low prices.

Solidline products are specifically designed for frugal flashlight and headlamp aficionados looking for compact basic equipment with sophisticated features without compromising quality. This closes the gap between our premium product target group, filling a very promising, new price segment.

---

## FOOTNOTES

The information pertaining to scope of delivery, appearance, performance, dimensions and weight corresponds to the information available at the time of publication. In the interest of product development, we reserve the right to change scope of delivery, appearance, design and color without prior notice. Product images may vary from the actual products and may show optional accessories which can be purchased separately. Errors and omissions excepted.

1) Luminous flux (lumen/lm) or maximum beam distance (in meters/m) is measured using the setting specified in the table or text when switching on with a set of fresh alkaline batteries. If no brightness level is named specifically, the values refer to the brightest possible setting. These are average values that may deviate by +/-15 % in individual instances in accordance with chip and battery. The average lighting duration (hours/h), measured in the relevant setting as given in the table or text, down to a luminous flux of 1 lumen. If no brightness level is named specifically, the values refer to the Low Power function, or if not present, to the lowest possible setting.